This article was downloaded by: [Isfahan University of Technology]


On: 26 January 2009

Access details: Access Details: [subscription number 907377393]

Publisher Taylor & Francis

Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered office: Mortimer House,

37-41 Mortimer Street, London W1T 3JH, UK



Textile Progress

Publication details, including instructions for authors and subscription information: http://www.informaworld.com/smpp/title~content=t778164492

Wetting and Wicking in Fibrous Materials

A. Patnaik; R. S. Rengasamy; V. K. Kothari; A. Ghosh

Online Publication Date: 01 January 2006

To cite this Article Patnaik, A., Rengasamy, R. S., Kothari, V. K. and Ghosh, A.(2006) Wetting and Wicking in Fibrous Materials', Textile Progress, 38:1,1 — 105

To link to this Article: DOI: 10.1533/jotp.2006.38.1.1 URL: http://dx.doi.org/10.1533/jotp.2006.38.1.1

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: http://www.informaworld.com/terms-and-conditions-of-access.pdf

This article may be used for research, teaching and private study purposes. Any substantial or systematic reproduction, re-distribution, re-selling, loan or sub-licensing, systematic supply or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation that the contents will be complete or accurate or up to date. The accuracy of any instructions, formulae and drug doses should be independently verified with primary sources. The publisher shall not be liable for any loss, actions, claims, proceedings, demand or costs or damages whatsoever or howsoever caused arising directly or indirectly in connection with or arising out of the use of this material.

WETTING AND WICKING IN FIBROUS MATERIALS

A. Patnaik¹, R. S. Rengasamy, V. K. Kothari and A. Ghosh doi:10.1533/tepr.2006.0001

Abstract: This issue reviews developments in wetting and wicking of fibrous materials, covering characterization of wetting; wetting and wicking of fibers, filaments, yarns, and fabrics; factors affecting wetting and wicking of fibrous assemblies; mathematical models of wetting and wicking; and application areas of the same.

Key words: Wetting, wicking, fibrous materials.

1. INTRODUCTION

Wetting and wicking are important phenomena in the processing and applications of fibrous materials. Various aspects of liquid–fiber interactions such as wetting, transport, and retention have received much attention both in terms of fundamental research and for product and process development [1]. In fiber composites, the performance of the composites is governed by the adhesion between the fibers and resin binders. The adhesion between the fibers and resin is influenced by the initial wetting of the fibers by the resin as this decides the subsequent resin penetration between the fibers and voids content. On the other hand, surgical fabrics should not let liquid and solid particles pass through easily. The mechanics of liquid coating are greatly influenced by the combined abilities of the liquid and solid to achieve complete wetting at the given speed of solid motion [2]. Wetting and wicking behavior of fibers is important to describe fluid transport in fibrous media such as filters, coalescers, and sorbents.

A spontaneous transport of a liquid driven into a porous system by capillary forces is termed wicking because capillary forces are caused by wetting; wicking is a result of spontaneous wetting in a capillary system [3]. Wetting is a prerequisite for wicking. A liquid that does not wet fibers cannot wick into a fabric. The wetting and wicking behavior of the fibrous structure is a critical aspect of performance of products such as sports clothes, hygiene disposable materials, and medical products. Wetting and wicking processes occurring during wearing of clothes have a practical significance in clothing comfort.

2. WETTING

Wetting of a fibrous assembly affects many manufacturing processes, as well as the end use performance of materials. Wetting is a complex process complicated further by structure of the fibrous assembly e.g. yarns, woven/nonwoven/knitted fabrics, and pre-forms for composites.

There is clear distinction between two terms that are sometimes used interchangeably,