


WOODHEAD PUBLISHING IN TEXTILES



# Nanofibers and nanotechnology in textiles

Edited by P. J. Brown and K. Stevens



The Textile Institute

WP

# Nanofibers and nanotechnology in textiles

## **The Textile Institute and Woodhead Publishing**

The Textile Institute is a unique organisation in textiles, clothing and footwear. Incorporated in England by a Royal Charter granted in 1925, the Institute has individual and corporate members in over 90 countries. The aim of the Institute is to facilitate learning, recognise achievement, reward excellence and disseminate information within the global textiles, clothing and footwear industries.

Historically, The Textile Institute has published books of interest to its members and the textile industry. To maintain this policy, the Institute has entered into partnership with Woodhead Publishing Limited to ensure that Institute members and the textile industry continue to have access to high-calibre titles on textile science and technology.

Most Woodhead titles on textiles are now published in collaboration with The Textile Institute. Through this arrangement, the Institute provides an Editorial Board which advises Woodhead on appropriate titles for future publication and suggests possible editors and authors for these books. Each book published under this arrangement carries the Institute's logo.

Woodhead books published in collaboration with The Textile Institute are offered to Textile Institute members at a substantial discount. These books, together with those published by The Textile Institute that are still in print, are offered on the Woodhead website at: [www.woodheadpublishing.com](http://www.woodheadpublishing.com). Textile Institute books still in print are also available directly from the Institute's website at: [www.textileinstitutebooks.com](http://www.textileinstitutebooks.com).

# Nanofibers and nanotechnology in textiles

---

Edited by  
P. J. Brown and K. Stevens



The Textile Institute



CRC Press  
Boca Raton Boston New York Washington, DC

WOODHEAD PUBLISHING LIMITED  
Cambridge, England

Published by Woodhead Publishing Limited in association with The Textile Institute  
Woodhead Publishing Limited, Abington Hall, Abington  
Cambridge CB21 6AH, England  
www.woodheadpublishing.com

Published in North America by CRC Press LLC, 6000 Broken Sound Parkway, NW,  
Suite 300, Boca Raton, FL 33487, USA

First published 2007, Woodhead Publishing Limited and CRC Press LLC  
© 2007, Woodhead Publishing Limited  
The authors have asserted their moral rights.

This book contains information obtained from authentic and highly regarded sources. Reprinted material is quoted with permission, and sources are indicated. Reasonable efforts have been made to publish reliable data and information, but the authors and the publishers cannot assume responsibility for the validity of all materials. Neither the authors nor the publishers, nor anyone else associated with this publication, shall be liable for any loss, damage or liability directly or indirectly caused or alleged to be caused by this book.

Neither this book nor any part may be reproduced or transmitted in any form or by any means, electronic or mechanical, including photocopying, microfilming and recording, or by any information storage or retrieval system, without permission in writing from Woodhead Publishing Limited.

The consent of Woodhead Publishing Limited does not extend to copying for general distribution, for promotion, for creating new works, or for resale. Specific permission must be obtained in writing from Woodhead Publishing Limited for such copying.

Trademark notice: Product or corporate names may be trademarks or registered trademarks, and are used only for identification and explanation, without intent to infringe.

British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library.

Library of Congress Cataloging in Publication Data

A catalog record for this book is available from the Library of Congress.

Woodhead Publishing ISBN 978-1-84569-105-9 (book)

Woodhead Publishing ISBN 978-1-84569-373-2 (e-book)

CRC Press ISBN 978-1-4200-4449-2

CRC Press order number: WP4449

The publishers' policy is to use permanent paper from mills that operate a sustainable forestry policy, and which has been manufactured from pulp which is processed using acid-free and elementary chlorine-free practices. Furthermore, the publishers ensure that the text paper and cover board used have met acceptable environmental accreditation standards.

Typeset by Replika Press Pvt Ltd, India.

Printed by TJ International Limited, Padstow, Cornwall, England

# Contents

---

|        |  |             |
|--------|--|-------------|
|        | <i>Contributor contact details</i>   | <i>xiii</i> |
| Part I | Nanofiber production   |             |
| 1      | Electrospinning of nanofibers and the charge injection method                                    | 3           |
|        | D. R. SALEM, Charge Injection Technologies Inc., USA   |             |
| 1.1    | Introduction   | 3           |
| 1.2    | Principles of electrostatic atomization  | 3           |
| 1.3    | Electrospraying and electrospinning by the capillary method                                      | 5           |
| 1.4    | Electrospraying and electrospinning by the charge injection method                               | 12          |
| 1.5    | References   | 20          |
| 2      | Producing nanofiber structures by electrospinning for tissue engineering                         | 22          |
|        | F. K. KO, The University of British Columbia, Canada and<br>M. R. GANDHI, Drexel University, USA |             |
| 2.1    | Introduction   | 22          |
| 2.2    | Fabrication of nanofibrous scaffolds   | 28          |
| 2.3    | Characterization of nanofibrous scaffolds  | 30          |
| 2.4    | Cell–scaffold interaction  | 36          |
| 2.5    | Summary and conclusion   | 42          |
| 2.6    | Acknowledgments  | 43          |
| 2.7    | References   | 43          |
| 3      | Continuous yarns from electrospun nanofibers   | 45          |
|        | E. SMIT, U. BÜTTNER and R. D. SANDERSON, Stellenbosch University,<br>South Africa                |             |
| 3.1    | Introduction   | 45          |

|         |  |     |
|---------|--|-----|
| vi      | Contents   |     |
| 3.2     | Using electrospun nanofibers: background and terminology   | 45  |
| 3.3     | Controlling fiber orientation  | 48  |
| 3.4     | Producing noncontinuous or short yarns   | 49  |
| 3.5     | Producing continuous yarns   | 52  |
| 3.6     | Summary and future trends  | 66  |
| 3.7     | Sources of further information and advice  | 67  |
| 3.8     | References   | 68  |
| 4       | Producing polyamide nanofibers by electrospinning  | 71  |
|         | M. AFSHARI, R. KOTEK and A. E. TONELLI, North Carolina State University, USA and D.-W. JUNG, Hyosung Corporation, South Korea                    |     |
| 4.1     | Introduction   | 71  |
| 4.2     | The electrospinning process  | 71  |
| 4.3     | Properties of electrospun nanofibers   | 73  |
| 4.4     | Measuring the effects of different spinning conditions and the use of high molecular weight polymers on the properties of electrospun nanofibers | 75  |
| 4.5     | Improving the properties of electrospun nanofibers: experimental results   | 77  |
| 4.6     | Conclusions  | 85  |
| 4.7     | References   | 87  |
| 5       | Controlling the morphologies of electrospun nanofibres   | 90  |
|         | T. LIN and X. G. WANG, Deakin University, Australia  |     |
| 5.1     | Introduction   | 90  |
| 5.2     | The electrospinning process and fibre morphology   | 91  |
| 5.3     | Polymer concentration and fibre diameter   | 93  |
| 5.4     | Fibre bead formation and fibre surface morphology  | 96  |
| 5.5     | Controlling fibre alignment and web morphologies   | 100 |
| 5.6     | Bicomponent cross-sectional nanofibres   | 103 |
| 5.7     | Future trends  | 107 |
| 5.8     | Acknowledgements   | 108 |
| 5.9     | References   | 108 |
| Part II | Carbon nanotubes and nanocomposites  | 111 |
| 6       | Synthesis, characterization and application of carbon nanotubes: the case of aerospace engineering   | 113 |
|         | M. REGI, University of Rome 'La Sapienza', Italy   |     |
| 6.1     | Introduction   | 113 |

|      |  |     |
|------|--|-----|
| 6.2  | The development and structure of carbon nanotubes  | 115 |
| 6.3  | Synthesis of carbon nanotubes  | 124 |
| 6.4  | Characterization techniques  | 140 |
| 6.5  | Purification techniques  | 152 |
| 6.6  | The use of carbon nanotubes in aerospace engineering   | 157 |
| 6.7  | Nanostructured composite materials for aerospace applications  | 162 |
| 6.8  | Nanostructured solid propellants for rockets   | 170 |
| 6.9  | Frequency selective surfaces for aerospace applications  | 175 |
| 6.10 | Other aerospace applications of carbon nanotubes   | 182 |
| 6.11 | Conclusions  | 184 |
| 6.12 | Acknowledgments  | 184 |
| 6.13 | References   | 185 |
| 7    | Carbon nanotube and nanofibre reinforced polymer fibres  | 194 |
|      | M. S. P. SHAFFER, Imperial College London, UK and<br>J. K. W. SANDLER, University of Bayreuth, Germany |     |
| 7.1  | Introduction   | 194 |
| 7.2  | Synthesis and properties of carbon nanotubes   | 197 |
| 7.3  | Developing nanotube/nanofibre–polymer composites   | 201 |
| 7.4  | Adding nanotubes and nanofibres to polymer fibres  | 206 |
| 7.5  | Analysing the rheological properties of nanotube/nanofibre–polymer composites                          | 208 |
| 7.6  | Analysing the microstructure of nanotube/nanofibre–polymer composites                                  | 212 |
| 7.7  | Mechanical, electrical and other properties of nanocomposite fibres                                    | 216 |
| 7.8  | Future trends  | 221 |
| 7.9  | References   | 222 |
| 8    | Structure and properties of carbon nanotube-polymer fibers using melt spinning                         | 235 |
|      | R. E. GORGA, North Carolina State University, USA  |     |
| 8.1  | Introduction   | 235 |
| 8.2  | Producing carbon nanotube-polymer fibers   | 236 |
| 8.3  | Thermal characterization   | 237 |
| 8.4  | Fiber morphology   | 238 |
| 8.5  | Mechanical properties of fibers  | 245 |
| 8.6  | Conclusions and future trends  | 251 |
| 8.7  | Sources of further information and advice  | 252 |
| 8.8  | Acknowledgments  | 252 |
| 8.9  | References   | 253 |



|          |  |     |
|----------|--|-----|
| viii     | Contents   |     |
| 9        | Multifunctional polymer nanocomposites for industrial applications               | 256 |
|          | S. J. BULL, University of Newcastle, UK  |     |
| 9.1      | Introduction   | 256 |
| 9.2      | The development of functional polymer nanocomposites                             | 257 |
| 9.3      | Improving the mechanical properties of polymer nanocomposites                    | 258 |
| 9.4      | Improving the fire-retardant properties of polymer nanocomposites                | 260 |
| 9.5      | Improving the tribological properties of polymer nanocomposites                  | 262 |
| 9.6      | Case-study: development of a nanocomposite sliding seal ring                     | 265 |
| 9.7      | Enhancing the functionality of polymer nanocomposites                            | 273 |
| 9.8      | Conclusions  | 275 |
| 9.9      | Acknowledgements   | 275 |
| 9.10     | References   | 275 |
| 10       | Nanofilled polypropylene fibres  | 281 |
|          | M. SFILIGOJ SMOLE and K. STANA KLEINSCHEK, University of Maribor, Slovenia       |     |
| 10.1     | Introduction   | 281 |
| 10.2     | Polymer layered silicate nanocomposites  | 282 |
| 10.3     | The structure and properties of layered silicate polypropylene nanocomposites    | 284 |
| 10.4     | Nanosilica filled polypropylene nanocomposites                                   | 289 |
| 10.5     | Calcium carbonate and other additives  | 291 |
| 10.6     | Conclusion   | 293 |
| 10.7     | References   | 293 |
| Part III | Improving polymer functionality  | 299 |
| 11       | Nanostructuring polymers with cyclodextrins                                      | 301 |
|          | A. E. TONELLI, North Carolina State University, USA                              |     |
| 11.1     | Introduction   | 301 |
| 11.2     | Formation and characterization of polymer–cyclodextrin–inclusion compounds       | 302 |
| 11.3     | Properties of polymer–cyclodextrin–inclusion compounds                           | 304 |
| 11.4     | Homo- and block copolymers coalesced from their cyclodextrin–inclusion compounds | 308 |
| 11.5     | Constrained polymerization in monomer–cyclodextrin–inclusion compounds           | 310 |

|       |   |     |
|-------|---|-----|
| 11.6  | Coalescence of common polymer–cyclodextrin–inclusion compounds to achieve fine polymer blends     | 311 |
| 11.7  | Temporal and thermal stabilities of polymers nanostructured with cyclodextrins                    | 312 |
| 11.8  | Cyclodextrin-modified polymers  | 313 |
| 11.9  | Polymers with covalently bonded cyclodextrins   | 314 |
| 11.10 | Conclusions   | 316 |
| 11.11 | References  | 316 |
| 12    | Dyeable polypropylene via nanotechnology  | 320 |
|       | Q. FAN and G. MANI, University of Massachusetts Dartmouth, USA                                    |     |
| 12.1  | Introduction  | 320 |
| 12.2  | Dyeing techniques for unmodified polypropylene  | 321 |
| 12.3  | Modified polypropylene for improved dyeability using copolymerization and other techniques        | 323 |
| 12.4  | Polyblending and other techniques for improving polypropylene dyeability                          | 324 |
| 12.5  | Dyeing polypropylene nanocomposites   | 326 |
| 12.6  | Using X-ray diffraction analysis and other techniques to assess dyed polypropylene nanocomposites | 334 |
| 12.7  | Conclusions   | 345 |
| 12.8  | Acknowledgments   | 346 |
| 12.9  | References  | 346 |
| 13    | Polyolefin/clay nanocomposites  | 351 |
|       | R. A. KALGAONKAR and J. P. JOG, National Chemical Laboratory, India                               |     |
| 13.1  | Introduction  | 351 |
| 13.2  | Organomodification of clays   | 354 |
| 13.3  | Polymer/clay nanocomposites   | 356 |
| 13.4  | Polypropylene/clay nanocomposites   | 360 |
| 13.5  | Polyethylene/clay nanocomposites  | 367 |
| 13.6  | Higher polyolefin/clay nanocomposites   | 372 |
| 13.7  | Conclusions   | 374 |
| 13.8  | References  | 381 |
| 14    | Multiwall carbon nanotube–nylon-6 nanocomposites from polymerization                              | 386 |
|       | Y. K. KIM and P. K. PATRA, University of Massachusetts Dartmouth, USA                             |     |
| 14.1  | Introduction  | 386 |
| 14.2  | Nanocomposite synthesis and production  | 387 |
| 14.3  | Characterization techniques   | 388 |

|         |   |     |
|---------|---|-----|
| x       | Contents  |     |
| 14.4    | Properties of multiwall carbon nanotube–nylon-6 nanocomposite fibers  | 391 |
| 14.5    | Conclusions   | 404 |
| 14.6    | Acknowledgments   | 405 |
| 14.7    | References  | 406 |
| Part IV | Nanocoatings and surface modification techniques  | 407 |
| 15      | Nanotechnologies for coating and structuring of textiles  | 409 |
|         | T. STEGMAIER, M. DAUNER, V. VON ARNIM, A. SCHERRIEBLE, A. DINKELMANN and H. PLANCK, ITV Denkendorf, Germany |     |
| 15.1    | Introduction  | 409 |
| 15.2    | Production of nanofiber nonwovens using electrostatic spinning  | 410 |
| 15.3    | Anti-adhesive nanocoating of fibers and textiles  | 417 |
| 15.4    | Water- and oil-repellent coatings by plasma treatment   | 418 |
| 15.5    | Self-cleaning superhydrophobic surfaces   | 421 |
| 15.6    | Sources of further information and advice   | 427 |
| 15.7    | References  | 427 |
| 16      | Electrostatic self-assembled nanolayer films for cotton fibers  | 428 |
|         | G. K. HYDE and J. P. HINESTROZA, Cornell University, USA  |     |
| 16.1    | Introduction  | 428 |
| 16.2    | Principles of electrostatic self-assembly for creating nanolayer films                                      | 428 |
| 16.3    | Advantages and disadvantages of electrostatic self-assembly   | 431 |
| 16.4    | Substrates used for electrostatic self-assembly   | 432 |
| 16.5    | Polyelectrolytes used for electrostatic self-assembly   | 434 |
| 16.6    | Analyzing self-assembled nanolayer films on cotton  | 436 |
| 16.7    | Conclusions: functional textiles for protection, filtration and other applications                          | 439 |
| 16.8    | References  | 440 |
| 17      | Nanofabrication of thin polymer films   | 448 |
|         | I. LUZINOV, Clemson University, USA   |     |
| 17.1    | Introduction  | 448 |
| 17.2    | Macromolecular platform for nanofabrication   | 449 |
| 17.3    | ‘Grafting from’ technique for synthesis of polymer films  | 451 |
| 17.4    | ‘Grafting to’ technique for synthesis of polymer films  | 455 |

|      |   |     |
|------|---|-----|
| 17.5 | Synthesis of smart switchable coatings  | 458 |
| 17.6 | Synthesis of ultrahydrophobic materials   | 464 |
| 17.7 | Conclusions   | 466 |
| 17.8 | Acknowledgments   | 466 |
| 17.9 | References  | 467 |
| 18   | Hybrid polymer nanolayers for surface modification of fibers                          | 470 |
|      | S. MINKO and M. MOTORNOV, Clarkson University, USA                                    |     |
| 18.1 | Introduction: smart textiles via thin hybrid films                                    | 470 |
| 18.2 | Mechanisms of responsive behavior in thin polymer films                               | 471 |
| 18.3 | Polymer–polymer hybrid layers   | 478 |
| 18.4 | Polymer–particles hybrid layers   | 484 |
| 18.5 | Hierarchical assembly of nanostructured hybrid films                                  | 485 |
| 18.6 | Future trends   | 489 |
| 18.7 | Sources of further information and advice   | 490 |
| 18.8 | Acknowledgment  | 490 |
| 18.9 | References  | 490 |
| 19   | Structure–property relationships of polypropylene nanocomposite fibres                | 493 |
|      | C. Y. LEW, University of Oxford, UK and G. M. McNALLY, Queen’s University Belfast, UK |     |
| 19.1 | Introduction  | 493 |
| 19.2 | Materials, processing and characterisation techniques                                 | 495 |
| 19.3 | Structure and morphology  | 497 |
| 19.4 | Phase homogeneity and spinline stability  | 502 |
| 19.5 | Optical birefringence and infrared activation   | 505 |
| 19.6 | Crystallisation behaviour and mechanical performance                                  | 509 |
| 19.7 | Exfoliation by extensional flow deformation   | 513 |
| 19.8 | Conclusions   | 514 |
| 19.9 | References  | 515 |
|      | <i>Index</i>  | 519 |



## Contributor contact details

---

(\* = main contact)

### Editors

P. J. Brown and K. Stevens  
 265 Surrine Hall  
 School of Materials Science and  
 Engineering  
 Clemson University  
 Clemson  
 SC 29634  
 USA

e-mail: [pjb@clemson.edu](mailto:pjb@clemson.edu)  
 e-mail: [ksteven@clemson.edu](mailto:ksteven@clemson.edu)

### Chapter 1

David R. Salem  
 Charge Injection Technologies Inc.  
 Present address:  
 Nanoproducts Corporation  
 14330 Longs Peak Court  
 Longmont  
 CO 80504

e-mail: [dsalem@chargedinjection.com](mailto:dsalem@chargedinjection.com)  
[dsalem@nanoproducts.com](mailto:dsalem@nanoproducts.com)

### Chapter 2

F. K. Ko\*  
 Advanced Materials and Process  
 Engineering Laboratory (AMPEL)  
 Department of Materials  
 Engineering  
 The University of British Columbia  
 113-2355 East Mall  
 Vancouver  
 BC, Canada V6T 1Z4

e-mail: [frank.ko@ubc.ca](mailto:frank.ko@ubc.ca)

M. R. Gandhi  
 School of Biomedical Engineering  
 Sciences and Health System  
 Drexel University  
 Philadelphia  
 PA 19104  
 USA

e-mail: [milind@drexel.edu](mailto:milind@drexel.edu)

### Chapter 3

E. Smit\*, U. Büttner and R. D. Sanderson  
UNESCO Associated Centre for  
Macromolecules & Materials  
Department of Chemistry and  
Polymer Science  
Stellenbosch University  
Private bag X1  
Matieland  
7602  
South Africa

e-mail: [asmit@sun.ac.za](mailto:asmit@sun.ac.za)  
[rds@sun.ac.za](mailto:rds@sun.ac.za)

### Chapter 4

M. Afshari\*, R. Kotek and  
A. E. Tonelli  
College of Textiles  
North Carolina State University  
Raleigh  
NC 27695-8301  
USA

e-mail: [mehdi\\_afshari@yahoo.com](mailto:mehdi_afshari@yahoo.com)  
[alan\\_tonelli@ncsu.edu](mailto:alan_tonelli@ncsu.edu)  
[richard\\_kotek@ncsu.edu](mailto:richard_kotek@ncsu.edu)

Dong-Wook Jung  
Hyosung Corporation  
South Korea

### Chapter 5

T. Lin\* and X. G. Wang  
Centre for Material and Fibre  
Innovation  
Faculty of Science and Technology  
Deakin University  
Geelong  
Victoria 3217  
Australia

e-mail: [tong.lin@deakin.edu.au](mailto:tong.lin@deakin.edu.au)

### Chapter 6

M. Regi (PhD)  
University of Rome 'La Sapienza'  
Department of Aeronautics and  
Astronautics Engineering  
Via Eudossiana 18  
00184 Roma  
Italy

e-mail: [marco.regi@uniroma1.it](mailto:marco.regi@uniroma1.it)

### Chapter 7

M. S. P. Shaffer\*  
Department of Chemistry  
Imperial College London  
London  
SW7 2AZ  
UK

e-mail: [m.shaffer@imperial.ac.uk](mailto:m.shaffer@imperial.ac.uk)

J. K. W. Sandler  
Polymer Engineering  
University of Bayreuth  
D-95447 Bayreuth  
Germany

e-mail: [Jan.Sandler@uni-bayreuth.de](mailto:Jan.Sandler@uni-bayreuth.de)  
[jan.sandler@basf.com](mailto:jan.sandler@basf.com)

## Chapter 8

R. E. Gorga  
Fiber and Polymer Science  
Program  
Department of Textile Engineering,  
Chemistry and Science  
Campus Box 8301  
North Carolina State University  
Raleigh  
NC 27695-8301  
USA

e-mail: regorga@ncsu.edu

## Chapter 9

S. J. Bull  
School of Chemical Engineering  
and Advanced Materials  
University of Newcastle  
Newcastle upon Tyne  
NE1 7RU  
UK

e-mail: s.j.bull@ncl.ac.uk

## Chapter 10

M. Sfiligoj-Smole\* and K. Stana  
Kleinschek  
University of Maribor  
Faculty of Mechanical Engineering  
Smetanova 17  
SI 2000 Maribor  
Slovenia

e-mail: majda.sfiligoj@uni-mb.si

## Chapter 11

A. E. Tonelli  
Fiber and Polymer Science Program  
North Carolina State University  
Campus Box 8301  
Raleigh  
NC 27695-8301  
USA

e-mail: alan\_tonelli@ncsu.edu

## Chapter 12

Q. Fan\* and G. Mani  
Department of Materials and  
Textiles  
University of Massachusetts  
Dartmouth  
North Dartmouth  
MA 02747  
USA

e-mail: qfan@umassd.edu

## Chapter 13

R. A. Kalgaonkar and J. P. Jog\*  
Polymer Science and Engineering  
Division  
National Chemical Laboratory  
Dr Homi Bhabha Road  
Pasahan  
Pune – 411008  
India

e-mail: jp.jog@ncl.res.in  
ra.kalgaonkar@ncl.res.in



## Chapter 14

Y. K. Kim and P. K. Patra\*  
Department of Materials and  
Textiles  
College of Engineering  
University of Massachusetts  
Dartmouth  
285 Old Westport Road  
North Dartmouth  
MA 02747  
USA

e-mail: ppatra@umassd.edu  
ykim@umassd.edu

## Chapter 15

T. Stegmaier\*, M. Dauner, V. Von  
Arnim, A. Scherrieble, A.  
Dinkelmann and H. Planck  
Institut für Textil- und  
Verfahrenstechnik Denkendorf  
Koerschtalstrasse 26  
D-73770 Denkendorf  
Germany

e-mail: thomas.stegmaier@itv-  
denkendorf.de

## Chapter 16

G. K. Hyde and J. P. Hinestroza\*  
Cornell University  
Fiber Science Program  
Ithaca  
NY 14850  
USA

e-mail: jh433@cornell.edu

## Chapter 17

I. Luzinov  
School of Materials Science and  
Engineering  
161 Sistine Hall  
Clemson University  
Clemson  
SC 29634-0971  
USA

e-mail: luzinov@clemson.edu

## Chapter 18

S. Minko\* and M. Motornov  
Clarkson University  
Department of Chemistry  
8 Clarkson Ave  
Potsdam  
NY 13699  
USA

e-mail: sminko@clarkson.edu

## Chapter 19

C. Y. Lew\*  
Department of Engineering Science  
University of Oxford  
Engineering and Technology  
Building  
Parks Road  
Oxford OX1 3PJ  
UK

e-mail: andy.lew@eng.ox.ac.uk

G. M. McNally  
Polymer Processing Research Centre  
Queen's University Belfast  
Ashby Building  
Stranmillis Road  
Belfast BT9 5AH  
UK